5/




Fig. 1





Fig. 2



DDE Command Topics

GenTInterface DDE topic

Commands:

TAgentLogin ()

TRegisterDN ()

TSetActiveDN ()

TAgentLogout ()

TAgentReady ()

TAgentNotReady ()

TAgentBusyOn ()

TAgentBusyOff()

TMakeCall ()

TAnswerCall ()

TReleaseCall ()

TTransfer ()

TInitTransfer ()

TCompleteTransfer ()

TInitConference ()

TCompleteConference

TSingleStepConference ()

TDeleteFromConference ()

THoldCall ()

TRetrieveCall ()

TAttachUserData ()

TUpdateUserData ()

TSetUserData ()

TDeleteAliUserData ()

TDeletePair ()

Items:

TAgentState

TRequestState

TRequestDone

TAgentStateStr

TRequestStateStr

GenOBInterface DDE topic

Commands:

PreviewModeStart ()

PreviewModeOver ()

PreviewRecordRequest ()

DoNotCallRecord ()

DoNotCallAllChain ()

DoNotCallNumber ()

AddRecord ()

UpdateCallCompletionStats ()

RecordProcessed ()

RecordProcessedAll()

RecordReject ()

RecordRejectAll ()

RecordCancel ()

RecordCancelByNumber ()

GetRecordByHandle ()

RequestRecordCancelHandle ()

RecordReshedule ()

ScheduledRecordReshedule ()

DoNotCallRecordHandle ()

ChainedRecordRequest ()

Items:

OBRequestState

OBRequestDone

OBRequestStateStr

OBCampaignState

OBCampaignStateStr

OBCallbacksNum

DDE Data topics

CallRecord DDE topic

Items:

GSW_RECORD_HANDLE GSW_CAMPAIGN_NAME GSW_CALLING_LIST GSW_CALL_RESULT

GenGeneral DDE topic

Items:

ErrorMsg CallRecord

InboundCallData DDE topic

Represent key-value pairs from Call

Attached Data

TEventAttributes DDE topic

Items: AgentID

AN A

CallID CallState

CaliType

Fig. 5